



# THE GEO H. HEWITT CO. LIMITED

2125 – 575 Seaborne Ave, Port Coquitlam V3B OM3 | TEL: 604-294-6288 | FAX: 604-294-5401

Visit our website at [www.geohewitt.com](http://www.geohewitt.com)

## Product Catalog

Marking • Stenciling • Sealing • Coding





# THE GEO H. HEWITT CO. LIMITED

2125 – 575 Seaborne Ave, Port Coquitlam V3B OM3 | TEL: 604-294-6288 | FAX: 604-294-5401

Visit our website at [www.geohewitt.com](http://www.geohewitt.com)

## Taping

### Seal the Deal.

Our proven selection of taping products provides you with everything necessary to tape, cut, seal and secure your boxed products and supplies. When it has to be safe and tamper-proof, depend on the taping solutions that continue to set the standard for the industry.

- Tapers—  
Water Activated Tape
- Tapers—  
Pressure Sensitive Tape





## TAPERS – WATER ACTIVATED TAPE

### Always Safe and Secure.

Marsh Tape Machines provide the security you are looking for by dispensing gummed tape effectively and efficiently. Marsh tape machines measure, dispense, moisten, and cut the water activated tape in a variety of lengths. Marsh Tapers and water activated tape provide not only the most secure carton closure, but also a tamper-evident, recyclable seal. Marsh Tape Machines have decades of proven reliability in the tape machine industry worldwide.

### Features:

- All metal uni-body chassis construction with high grade powder paint coating
- Long lasting, high strength PBT enclosure
- Built-in, all metal adjustable tape guides maintain tape roll for smooth tape flow, accurate cutting and less jamming
- Hot plate style heater keeps water warm for better moistening and adherence of tape. Designed not to exceed recognized safety standards
- Portable, yet sturdy, for easy use and maintenance
- **Durable**— all components, inside and out, are proven to last even in some of the harshest environments
- **Tape, paper or reinforced** — up to 1,000 ft (305 m) roll, maximum roll diameter 9" (229 mm)
- Tape widths — 1"(25 mm) to 3" (76 mm)
- **Dimensions** — 18.9"L x 10.5" W x 13.7"H (480 mm x 267 mm x 348 mm)
- **18-month warranty**

TD2100 Tapers feature the largest waterbottle and largest tape roll capacity in the industry—to help keep your downtime to a minimum.



"Apex" design guillotine style cutter 420HC (High Carbon from Rockwell Scale) stainless steel, provides long life and requires little adjustment



All Td2100 tape machine models feature all metal uni-body chassis construction with high grade powder paint coating



Largest water bottle in the industry! 70 ounce bottle increases production "up-time" with fewer refills



## TAPERS – WATER ACTIVATED TAPE

### TD2100 Electric Tapers

Versatile performance at your fingertips.

The state-of-the-art, electronically driven, TD2100 Electric tape dispenser was designed with ease of operation and dependability in mind.

All models feature a tactile keypad with repeat keys for short and long tape lengths. Ideal for sealing same size cartons! Random/Continuous feature built in, LCD display of programmed lengths.

The TD2100 Electric is available in 3 models to meet your specific carton closure needs.

**Standard:** 20 pre-set selectable lengths with use of the shift key. One short and one long length can be programmed as repeat keys from selectable pre-set lengths.

**Premium:** Option to input custom lengths ranging from 5" to 99" in 1" increments

• **Short**

10 pre-set lengths up to 45"

• **Long**

10 pre-set lengths up to 90"



Standard and Customized Lengths Available

### Features:

- TD2100 Microprocessor is designed for fast, efficient operation – eliminates unnecessary tape waste – dispenses tape 36" (914 mm) per second
- **Superior Moistening System** – constant hot water and the flow-through brush system activates the glue quickly and evenly the whole length of the tape. This method is far superior to applying heat from the top and through the insulated tape
- **Quality Engineered** – conforms to ANSI/UL Std. 60950-1, Certified to CAN/CSA C22.2 no. 60950-1-03, CE Certified to standard IEC/EN 60950-1: 2001

### Specifications:

- **Tape Lengths Dispensed** – 5" (127 mm) to 90" (2286 mm) - continuous feed feature for longer lengths
- **Shipping Weight** – 35 lb (15.9 kg)
- **Electrical** – 110/120 volt 50/60 hertz, 4 amps; or 220/240 volt 50/60 hertz, 2 amps
- **Power Cord** – 7 ft (2.3 m)



### TD2100 Manual Hand Tapers

No frills. All performance.

These high-performance hand tapers make it fast and easy to seal boxes and other containers. Available in a variety of options and designed for multiple applications, these tapers are always ready when you need them most.

### Features:

- Easy-pull handle for variable tape lengths in a single pull
- **Easy on the operator** – drop-in tape loading and easy-pull, snap-back handle for timely, no hassle operation
- Optional heater models provide high-tack tape adhesion in unheated environments

### Specifications:

- **Tape Lengths** – 5" (127 mm) to 36" (914 mm)
- **Shipping Weight** – 31 lb (14 kg)
- **Electrical (for heater models)** – 110/120 volts, 50/60 hertz or 220/240 volts, 50/60 hertz

Item	Description
TDH	Taper, TD2100 Manual (inch)
TDHM	Taper, TD2100 Manual (metric)
TDH110	Taper, TD2100 Manual with 110 V Heater (inch)
TDH220	Taper, TD2100 Manual with 220 V Heater (metric)

## TAPERS – PRESSURE SENSITIVE TAPE

### Smooth Performance Under Pressure.

Our complete selection of proven pressure sensitive tapers are adaptable to a wide variety of applications to meet your specific needs. When it matters most, depend on the tapers and taping products that are always ready when the pressure is on.

#### Carton Sealer

902/903

- Replaceable precision blades easily cut poly and reinforced tapes
- Oversized adjustable brake for exact tension control
- Spring action holds flap open for loading, then snaps shut for use
- Handles tapes up to 5.5" Dia. x 220 yd L (140 mm x 201 m)



#### Double-Face Hand Held Tape Dispenser

925/929

- Automatically separates and rewinds the backing strip as the tape is applied
- Independent, adjustable brakes on tape roll holder and scrap rewind ensure proper performance with any weight tape
- Weight 2.5 lb (1.13 kg)
- Accepts tape rolls to 5.5" Dia. (140 mm) on standard 3" (76 mm) cores



#### Hand-Held Dispenser

914/915

- Comfortable hand fit improves taping control
- Ideal for double-faced tape when backing is to be removed later
- Accepts tape rolls up to 4.75" Dia. x 110 yd L (121 mm x 100 m)



#### Double-Face Bench Tape Dispenser

- Dispenses double-sided tape, or other tapes with removable backing strips of PVC or treated paper.
- Tape roll holder and scrap rewind spool have independent adjustable brakes for proper performance with any weight tape.

926

- Weight 8 lb (3.6 kg)
- 12" L x 3"W (305 mm x 76 mm)
- Accepts tape rolls up to 7.25" Dia. (184 mm) on standard 3" (76 mm) cores



928

- Weight 10 lb (4.5 kg)
- 24" L x 3" W (610 mm x 76 mm)
- Equipped with adjustable length stop making it easy to measure and dispense repeated lengths of tape



#### Bench Dispenser

922/933/944

- Replaceable serrated blade cuts all non-reinforced tapes quickly and cleanly
- Has two holes for permanently mounting on work bench
- Accepts tape rolls up to 5.5" Dia. x 220 yd L (140 mm x 201 m)



#### 4-Roll Dispenser

924

- Designed to hold up to 4 assorted tapes up to 1" (25 mm) wide, with staggered cutter heights for convenient access
- Weight 9 lb (4.1 kg)
- 10" L x 5.5" W (254 mm x 140 mm)
- Accepts tape rolls to 6" Dia. (152 mm) on standard 3" (76 mm) cores



Item	Description
902	Taper, Carton Sealer, 2" (51 mm) wide tape
903	Taper, Carton Sealer, 3" (76 mm) wide tape
914	Taper, Hand-Held Dispenser, 1" (25 mm) wide tape
915	Taper, Hand-Held Dispenser, 2" (51 mm) wide tape
922	Taper, Bench Dispenser, 2" (51 mm) wide tape
933	Taper, Bench Dispenser, 3" (76 mm) wide tape
944	Taper, Bench Dispenser, 4" (102 mm) wide tape
924	Taper, 4-Roll Dispenser
925	Taper, Hand-Held Dispenser, Double Face, 2" (51 mm) wide tape
929	Taper, Hand-Held Dispenser, Double Face, 1" (25 mm) wide tape
926	Taper, Bench Dispenser, Double Face, 2" (51 mm) wide tape
928	Taper, Bench Dispenser, Double Face, 3" (76 mm) wide tape w/adjustable stop